


To check :


Corrugated fastener W12
nails size ?
distance between blade (for the floor)
Marketing label ?

Bac Stockholm-
1000x500x430 mm
FSC MC: 80281108 Pine
PEFC 80: 85281108 Pine



Product description	
Navision Reference	FSC: 80281108 / PEFC: 85281108
Version	1
Product Specifications	Refers to SP.ACHA.04 Specifications
Quality Requirements	Refers to R.AC.01c Defects list

	Version	Comments/Modification	Drawing by	Date of drawing	Checker by	Date of validation
Actual version	1	NA	B. PAHAUT	12/07/2024		
History						



No. ARTICLE	Designation	Comments	QTE
A	Side A	500x400x40 mm	2
B	Side B	1000x400x40 mm	2
C	Floor	910x490x45 mm	1
D	Geotextile 281108		1

REF :
FSC: 80281108
PEFC: 85281108

DESIGNATION :

Bac Stockholm- 1000x500x430 mm



	NAME	DATE
DRAWER	B. PAHAUT	12/07/2024
CHECKER		

SPECIES/MATERIAL:
Pine





TREATMENT :
autoclave Green class III

Pcs / Pal :
4

Net volume: 0,06 (m3)

SCALE: 1:15

FOLIO : 2 / 6



No. ARTICLE	DESCRIPTION	Length	QTE
1	40x50_ch3	960 mm	16
2	40x50_ch3	460 mm	16
3	40x30_ch3	490 mm	2
4	15x80_ch0	910 mm	5

REF :
FSC: 80281108
PEFC: 85281108

DESIGNATION :

Bac Stockholm- 1000x500x430 mm



	NAME	DATE
DRAWER	B. PAHAUT	12/07/2024
CHECKER		

SPECIES/MATERIAL:

Pine

TREATMENT :

autoclave Green class III



Pcs / Pal :

4




Net volume: (m3)

SCALE: 1:15

FOLIO : 3 / 6



Assembled with 20
Staple (90 - 32mm)



Assembled with 4
galvanized
corrugated
fastener W12








Designation	Material	QTE
Nails L=70mm	Galvanized	56
staple L32	Galvanized	20
Staple for geotextile	Galvanized	12
galvanized screws 4x60 mm	Galvanized	4
Corrugated fastener W12	Galvanized	32

REF :
FSC: 80281 108
PEFC: 85281 108

DESIGNATION :

Bac Stockholm- 1000x500x430 mm

	NAME		DATE		
	DRAWER	B. PAHAUT	12/07/2024		
	CHECKER				
	SPECIES/MATERIAL:		TREATMENT :		Pcs / Pal :
	Pine		autoclave Green class III		4
Net volume:		(m3)	SCALE:	1:15	FOLIO : 4 / 6



REF :
FSC: 80281 108
PEFC: 85281 108

DESIGNATION :

Bac Stockholm- 1000x500x430 mm



	NAME	DATE
DRAWER	B. PAHAUT	12/07/2024
CHECKER		

SPECIES/MATERIAL:
Pine


TREATMENT :
autoclave Green class III

Pcs / Pal :
4

Net volume: (m3)

SCALE: 1:15

FOLIO : 5 / 6



/Zawartość całego opakowania: paleta + produkt + płyty ochronne + przekładki itp. muszą być w całości zaimpregnowane w III klasie i nie mogą zawierać kory. Paleta musi być przechowywana w miejscu dobrze wentylowanym i musi być odporna na warunki przechowywania i transportu/

Contents of the whole package: pallet + product + protective boards + spacers etc. must be treated class III at 100% and must not contain barks. The pallet must be stored in a well-ventilated place and must be resistant to storage and transport conditions.

REF :
FSC: 80281 108
PEFC: 85281 108

DESIGNATION :

Bac Stockholm- 1000x500x430 mm

		NAME	DATE	Pallet		
	DRAWER	B. PAHAUT	12/07/2024			
	CHECKER					
	SPECIES/MATERIAL: Pine			TREATMENT : autoclave Green class III		Pcs / Pal : 4
	Net volume: 0,27 (m3)			SCALE: 1:15		FOLIO : 6 / 6